

TERMS AND CONDITIONS

TERMS: All orders will be shipped COD unless credit has been established with our credit department. Otherwise, our terms are Net 30. All invoices 30 days past due will be assessed a service charge of 1.5% of past due, charged monthly.

PRICES: Although every attempt will be made to keep our customers informed of pricing changes, all prices are subject to change without notice.

RETURN POLICY: Returns will be accepted on stocking items only, and must be pre-authorized. Custom manufactured products are non-returnable. Returns may be subject to a 10% re-stocking fee.

TAXES: All products sold will be charged applicable sales tax unless we have a valid sales tax exemption certificate on file in our office. NO EXCEPTIONS!.

FREIGHT POLICY: All orders will be shipped F.O.B. Arvada, Colorado. Shipments will be made via Fed-Express Ground whenever possible. Please specify your preference as to common carrier.

WARRANTY: The Metal Company offers no warranty, express or implied, regarding the suitability of any products for specific applications. Our liability is for product replacement only when deemed defective. Warranty does not include labor, or any other additional expenses that may occur through improper use or application before defect is discovered. The only warranties applicable are those offered by product manufacturer. We will gladly forward any product, sold by us, to the manufacturer for warranty consideration. However, we have no authority to determine warrantability; that is at the sole discretion of the manufacturer.

FREIGHT CLAIMS AND SHORTAGES: We take great care to insure that all our products are in good condition as they are packaged for shipping, therefore, all freight shortages or damages are the responsibility of the consignee. Any claims therein must be filed with the carrier. Be sure to have the carrier acknowledge damage or shortage upon receipt of merchandise.

SHIPPING & PACKING INFORMATION

Aluminum is shipped common carrier in specially designed cardboard tubes that are 16" or 12" in diameter by 12' long. We can combine tubes together, (up to 2 tubes) to get a max length of 24'. Additionally, a packaging charge on aluminum of \$25.00 per man hour will be applied when crates must be made. If you have a carrier you prefer, or receive a discount with, please let us know when you place your order.

16" x 144" (12') Cardboard Shipping Tubes



12" x 144" (12') Cardboard Shipping Tubes



Water & Holding Tanks are shipped via Federal Express. They can be shipped via ground or next day air. (Note that next day air shipping can get quite expensive on tanks that are oversized.) The cost of shipping tanks is the current Federal Express rate. If additional packaging is needed, there may be a small fee. Additional shipping fees will be discussed with you before we ship out your tank. *(WE DO NOT SHIP UPS!)*

All other products are shipped via Federal Express and charged at the current Federal Express rate.

ADHESIVES & SEALANTS

PUTTY TAPE



Putty tape is formulated to be a good quality, inexpensive, and easy-to-use extruded tape for all purpose weather-tight sealing. Silicone treated paper backing assures ease of use. Not made for use with rubber roof. Sold by the case only.

ORDER NUMBERS:

S1412 – 1/2 x 3/4 x 30' Putty tape
 S1420 – 3/16 x 1 x 20' Putty tape
 S1422 – 3/16 x 3/4 x 20' Putty tape
 S1418 – 3/16 x 2 x 20' Putty tape

PREMIUM BUTYL TAPE



A premium quality, pressure sensitive extruded butyl tape. Permanent resilience and elongation properties. Formulated for particularly difficult seal applications, or where superior quality tape is needed. Can be used with rubber roof. Sold by the case only.

ORDER NUMBERS:

S1414 – 1/8 x 3/4 x 30' Grey butyl tape
 S1416 – 1/8 x 3/4 x 30' White butyl tape

SILICONE SEALANT



Silicone is a permanently elastic medium-high strength sealer for general glazing in RV's and modular homes. A moisture curing, one part sealant with excellent adhesion to metal and glass. 10.1 oz. Tubes. Available in clear, white, parchment and black.

ORDER NUMBERS:

S1428 – Parchment Silicone
 S1430 – Clear Silicone
 S1432 – White Silicone
 S1434 – Black Silicone

SPRAY ADHESIVE



Bostick High Performance aerosol adhesive, SUPERTAK forms strong one surface bonds, permanent bonds between porous and non-porous surfaces, speeds product assembly, adheres to metal and most plastics, has a 2 way variable nozzle, and does not contain methylene chloride or ozone depleting chemicals.

ORDER NUMBERS:

S1000 – SuperTak Adhesive

ADHESIVES & SEALANTS

LAP SEALANT



Rubber roof lap sealant renders a water tight seal along roof edges, roof vents, air conditioners and screw heads. Butyl based, it is completely compatible with EPDM roofing material and offers excellent adhesion to most substrates. Its self leveling property improves the ability to continuously seal and remain flexible Available in Ivory and White.

ORDER NUMBERS:

S1010 – Lap Sealant, Ivory
S1012 – Lap Sealant, White

RUBBER ROOF INSTALLATION KIT



This installation kit contains everything needed for proper rubber roof installation. Kit includes: 2 gallons of rubber roof adhesive, 150 feet of butyl tape, and 10-12oz tubes of lap adhesive. Enough material to install a 40' roof. Kit does not include rubber roof.

ORDER NUMBERS:

S1021 – Rubber roof Installation Kit

RUBBER ROOF WATER-BASED ADHESIVE



This water based, rubber roof adhesive is ideally suited for adhering EPDM roof material to wood substrate. Easily applied with brush or roller, provides approximately 200 sq. ft. of coverage per gallon. Not suitable for splicing. Gallon containers. 4 per case.

ORDER NUMBERS:

S1014 – Rubber to wood adhesive

SPLICE ADHESIVE



Repairs small tears. Used when bonding rubber to rubber. Available in quart cans.

ORDER NUMBERS:





S1016 – Splice adhesive

For Rubber Roof Material, see Page 13

MOLDING PRODUCTS

	Flat Insert Trim Flat insert molding is 1 1/4" wide and accepts standard 1" vinyl insert. 5/32" mounting holes punched on 4" centers. Available in mill finish, colonial white and polar white. 16' length.	ORDER NUMBERS: M3816 – Flat Insert Trim – Colonial - 16' M3817 – Flat Insert Trim – Mill Finish – 16' M3818 – Flat Insert Trim – White – 16'
	Small Lip Insert Trim Small lip 3/16" corner molding accepts standard 1" vinyl insert. 5/32" mounting holes punched on 4" centers. Available in mill finish, colonial white, polar white. 16' length.	ORDER NUMBERS: M3825 – Small Lip Trim – Colonial – 16' M3826 – Small Lip Trim – Mill Finish – 16' M3827 – Small Lip Trim – White – 16'
	Large Lip Insert Trim Large lip 7/16" corner molding, accepts standard 1" vinyl insert. 5/32" mounting holes punched on 4" centers. Available in mill finish, colonial white and polar white. 16' length.	ORDER NUMBERS: M3820 – Large Lip Trim – Colonial – 16' M3821 – Large Lip Trim – Mill Finish – 16' M3822 – Large Lip Trim – White – 16'
	Extended Leg Insert Trim Insert extended leg trim, same as above except with 5/8" leg. Available in polar white. 16' length.	ORDER NUMBERS: M3830 – Insert Extended Leg – White – 16'
	Huge Leg Insert Trim Huge leg insert 1 1/4" wide. Same as above, available in white. 16' length.	ORDER NUMBERS: M3829 – Huge Leg Insert Trim – White – 16'
	Insert Gutter Trim Insert gutter trim 1 1/2" wide. Available in polar white. 16' length.	ORDER NUMBERS: M3801 – Insert Gutter Trim – White – 16'
	Regular Drip Rail Regular drip rail molding, 5/32" mounting holes punched on 4" centers. Available in mill finish, and polar white. 16' length.	ORDER NUMBERS: M3840 – Regular Drip Rail – Mill Finish – 16' M3841 – Regular Drip Rail – White - 16'
	Insert Awning Drip Rail Combination insert/awning/drip rail. Accepts 1/4" awning poly cord and 1" vinyl insert. 5/32" mounting holes on 4" centers. Available in white. 16' length.	ORDER NUMBERS: M3814 – Insert Awning Drip Rail – White – 16'
	Insert Awning Rail Combination insert trim and awning rail. Accepts 1/4" awning poly cord and 1" vinyl insert. 5/32" mounting holes punched on 4" centers. 18' length.	ORDER NUMBERS: M3803 – Insert/Awning – White – 18'

MOLDING PRODUCTS

	Awning Rail Standard Awning Rail, accepts 1/4" awning poly cord. 5/32" mounting holes punched on 4" center. Available in Colonial, Mill Finish and White. 16' length.	ORDER NUMBERS: M3805 – Awning Rail – Colonial – 16' M3806 – Awning Rail – Mill Finish – 16' M3807 – Awning Rail – White - 16'
	Regular Edge Molding Regular edge corner trim molding. 5/32" mounting holes punched on 4" centers. 7/18" x 3/8". Available in Mill finish and White. 16' length.	ORDER NUMBERS: M3832 – Corner Edge Trim – Mill Finish – 16' M3833 – Corner Edge Trim – White - 16'
	Large Corner Molding Large Corner Molding 9/16" x 1 1/2" . Drilled and countersunk on 6" centers. Available in White. 16' length.	ORDER NUMBERS: M3802 – Large Corner Molding – White – 16'
	Large Cap Trim Large cap trim 1 3/8" wide, #8 holes drilled and countersunk on 4" centers. Available in white. 12' length.	ORDER NUMBERS: M3847 – Large Cap Trim – White - 12'
	Small Cap Trim Small Cap Trim 1" wide, #8 holes drilled and countersunk on 4" centers. Available in White. 18' length.	ORDER NUMBERS: M3851- Small Cap Trim – White - 18'
	Vinyl Cap Trim Base Trim cap base, 5/32" mounting holes punched on 4" centers, accepts M3870 vinyl cap. Available in mill finish. 12' length.	ORDER NUMBERS: M3865 – Vinyl Cap Trim Base – Mill finish - 12'
	Vinyl Cap Trim Vinyl cap trim with leg, for use on Trim Base M3865 listed above. 250' rolls or by the foot. Available in polar white.	ORDER NUMBERS: M3870 – Vinyl Cap with Leg – White
	1" Vinyl Insert High quality, 1" soft vinyl insert trim resists fading and premature cracking. Sold in 1000' rolls or by the foot. Available in black, colonial and polar white.	ORDER NUMBERS: M3480 – 1000' Vinyl Insert – Black - Ft M3481 – 1000' Vinyl Insert – Colonial - Ft M3482 – 1000' Vinyl Insert – Polar White - Ft
	3/4" Vinyl Insert High quality, 3/4" vinyl insert trim resists fading and premature cracking. Sold by the foot. Available in black, colonial and polar white.	ORDER NUMBERS: M3475 – Black Vinyl Insert – Ft M3476 – Colonial Vinyl Insert – Ft M3477 – White Vinyl Insert - Ft

MOLDING ACTUAL SIZE CHART



The Metal Company, Inc.
5509 Harlan Arvada, Co 80002


Phone: (303) 423-4425

Fax: (303) 423-4051

ACTUAL SIZE OF MOLDING




M 3818




M 3847



M 3803




M 3827




M 3851



M 3807




M 3822




M 3802




M 3814




M 3830



M 3833



M 3801



M 3829



M 3841




M 3865


PROPANE & COMPARTMENT CANS

LP, compartment, wheel wells, and battery cans are manufactured from heavy duty 28 ga. galvanized steel for strength and durability. When ordering custom cans, be sure to specify the depth measurement!


LP CANS




WHEEL WELLS



STORAGE COMPARTMENTS



BATTERY CANS



NEW! SOME CAN SIZES ARE AVAILABLE IN PLASTIC!


BAGGAGE DOORS

CUSTOM RADIUS OR SQUARE DOORS, ANY SIZE, ANY COLOR!

All doors feature extruded aluminum frames built for durability, long life and are available in square or radius corner style. Panels can be aluminum, smoother or embossed, or smooth fiberglass in colonial or white. Frames come in mill finish for square doors, white is available on radius doors.

PROPANE & LOUVERED ACCESS DOORS

Louvered access doors for refrigerators, battery compartments, or wherever venting is required. Available in square or radius corners.



SQUARE OR RADIUS COMPARTMENT DOORS


Baggage compartment doors in square and radius corner. Available with a single panel or double insulated panel.

GENERATOR ACCESS DOORS

Generator doors with expanded metal inserts or louvers placed where needed. Available in radius or square corner.



SPECIALTY ACCESS DOORS & GOOF PLATES



Specialty compartment doors, split style or double door style also available. Solid or louvered in many configurations. Goof plates made of .024 aluminum in a variety of sizes and colors to accommodate most venting requirements, or covering up that screw-gun ding.

CUSTOM MADE TO YOUR SPECIFICATIONS!

BAGGAGE & ACCESS DOORS *CUSTOM MADE TO YOUR SPECIFICATIONS!*

Baggage, Battery Access, Generator Access, Propane Access or Refrigerator Access doors available in most any configuration you could possibly need! Custom made *to your specifications!*

Ordering is *EASY*...Answer the questions below for the custom baggage or access door you need!

WHAT SIZE IS IT?

Please tell us the **Cut-out** dimensions for your door. This is the rough opening in the side of the coach.

Height _____ inches x Width _____ inches

NOTE: Please measure accurately! *We are not responsible for incorrect measurements!*

WHAT STYLE OF DOOR?

- | | | |
|--|---|--|
| ☐ Baggage Door | ☐ Propane Door | ☐ Batter Access Door |
| ☐ Generator Access Door | ☐ Refrigerator Access Door | ☐ Double/Combination Door |

WHAT TYPE OF FRAME AND WHERE IS THE HINGE?

FRAME TYPE

- | | |
|--|--------------------------------------|
| ☐ Square Corner | ☐ Flush Mount |
| ☐ Radius Corner | |

HINGE LOCATION

- | | |
|-------------------------------|---------------------------------|
| ☐ Top | ☐ Bottom |
| ☐ Left | ☐ Right |

WHAT KIND OF PANEL DOES IT NEED?

MATERIAL

- | | |
|-----------------------------------|-------------------------------------|
| ☐ Aluminum | ☐ Fiberglass |
|-----------------------------------|-------------------------------------|

COLOR _____

FRAME

- | | |
|-------------------------------|--------------------------------|
| ☐ Mill | ☐ White |
|-------------------------------|--------------------------------|

TEXTURE

- | | |
|---------------------------------|---------------------------------|
| ☐ Smooth | ☐ Stucco |
|---------------------------------|---------------------------------|

INSULATED

- | | |
|------------------------------|-----------------------------|
| ☐ Yes | ☐ No |
|------------------------------|-----------------------------|

- | |
|---|
| ☐ Cedar Embossed |
|---|

WHAT KIND OF LOCK DOES IT NEED?

TYPE OF LOCK:

- | | |
|--------------------------------|------------------------------|
| ☐ Twist | ☐ Key |
|--------------------------------|------------------------------|

NUMBER OF LOCKS: _____

Note: We recommend (1) lock for every 24" of hinge

SPECIAL INSTRUCTIONS

Dealer _____ Contact _____

Address _____ City _____ State _____ Zip _____

Phone _____ Fax _____

DOOR ACCESSORIES & HARDWARE

WINDOW FRAMES



12" x 21" replacement window frames for all types of RV entrance doors. Complete sets include inner and outer frame.

ORDER NUMBERS:

K1860 – Window frame set – Black
 K1862 – Window frame set – Colonial
 K1863 – Window frame set – Polar
 K1865 – Clear safety or obscure glass

DOOR LOCK



Replacement door lock from Trimark features a built-in deadbolt assembly for the ultimate in security, safety, and style.

ORDER NUMBERS:

K1852 – Trimark lock w/deadbolt

SCREW COVER



Elixir screw cover

Elixir style screw cover, 10' length. Available in black, colonial and polar white.

ORDER NUMBERS:

B3080 – Elixir Screw cover – Black
 B3082 – Elixir screw cover – Colonial White
 B3083 – Elixir screw cover – Polar White



Phillips screw cover

Phillips style screw cover, 10' lengths. Available in colonial white, polar white, black, and brown.

ORDER NUMBERS:

B3070 – Phillips screw cover – Black
 B3072 – Phillips screw cover – Colonial White
 B3073 – Phillips screw cover – Polar White

MH/RV UNSLOTTED, HEX WASHER HEAD SCREWS



#8 Hex zinc washer screws, suitable for most exterior and interior jobs.

ORDER NUMBERS:

M2601 – Pound/Zinc Finish 8 x ¾"
 M2602 – Pound/Zinc Finish 8 x 1"
 M2603 – Pound/Zinc Finish 8 x 1 ¼"
 M2604 – Pound/Zinc Finish 8 x 1 ½"
 M2701 – Pound/White Finish 8 x ¾"
 M2702 – Pound/White Finish 8 x 1"
 M2703 – Pound/White Finish 8 x 1 ¼"
 M2704 – Pound/White Finish 8 x 1 ½"



ALUMINUM FOR SIGNS

Established for the sign industry, the material is painted on both sides, and has a protective film. Also great for utility trailers & bottom radius skirts!

We cut it for free! We can cut to customers specifications!


STOCK SIZES	SHEET SIZES & THICKNESS
18" x 24" .040 12" x 18" .040 6" x 18" .040 6" x 24" .040 Also: 48" Coils in .040 cut to desired length	4' X 8' .032 WHITE 4' X 8' .032 MILL FINISH 4' X 10' .032 MILL FINISH 4' X 8' .040 WHITE & COLORS 4' X 8' .063 WHITE 4' X 8' .063 MILL FINISH 4' X 10' .063 MILL FINISH <i>Sold by the sheet or cut to your specifications!</i>
COLORS AVAILABLE	EXTRA SERVICES
WHITE/WHITE YELLOW MATTE BLACK MILL FINISH <i>Painted on both sides, with protective film.</i>	Radius corners - .25/sheet Holes drilled - .125/each hole <i>Call us for your special fabrications needs!</i>

STRUCTURAL ALUMINUM

	SQUARE TUBING 1 x 1 x .045 x 288, 24' lengths ORDER NUMBERS: X1000 Square tubing
	RECTANGULAR TUBING 1 x 2 x .055 x 288, 24' lengths ORDER NUMBERS: X1005 Rec Tubing

FIBERGLASS SIDING

SMOOTH FIBERGLASS SIDING



Smooth fiberglass siding is .045 thickness, and is available in 8 ½' (102") widths. Smooth fiberglass siding is cut to your length specifications. Available in Polar White.

ORDER NUMBERS:

F8001 – Smooth White Fiberglass 8'6" (102") lengths

PEBBLE ROOF-FLEX SIDING



Pebble (stucco) roof-flex fiberglass siding available in 8' (96") widths, cut to your length specifications. Available in Polar White.

ORDER NUMBERS:

F8003 – Pebble Roof-flex – White – 8' (96") lengths

LAUAN PANELING

Lauan paneling is excellent for substrate walls, aluminum or fiberglass siding and roofing, as well as rubber roofing.

ORDER NUMBER:

W1000 4'x8'

ROOFING SYSTEMS

EPDM RUBBER ROOFING



Brite-Ply EPDM rubber roofing makes recreational vehicles quieter by eliminating roof rumble and noise from wind, rain, and hail. It assures a water tight roof that is maintenance free and saves energy through its heat reflecting characteristics.

Brite-Ply EPDM sheeting is highly puncture and tear resistant, has superior tensile strength, and is both reflective and refractive to UV rays. The extrusion process provides a more even distribution of ingredients which resists fading or chalkiness of the installed roof.

Brite-Ply EPDM membrane passes the ASTM 20 year accelerated aging test with no discoloration. The superior performance of the membrane is assured by the manufacturer's 10 year warranty.

EPDM Rubber Roof is .043 thickness, 9 ½ ' (114") width

ORDER NUMBERS:

R1005 – EPDM Rubber Roof

THERMOPLASTIC (FELT-BACK) MATERIAL

BriteTEK Roof Membrane blends the benefits of EPDM and TPO (thermoplastic olefin) providing a watertight roof that is easy to install and maintain. BriteTEK has superior puncture and tear resistance to assure long term performance. Carlisle's BriteTEK membrane resists uneven weathering and fading, and passes the ASTM 20 year accelerated aging test. BriteTEK is available with fleece backing, in 9' 6" (114") width.

ORDER NUMBERS:

R1031 – TPO Roof Fleece Back


SEAMLESS METAL ROOFING



Seamless roofing material, 8 ½ ' (102") wide, Mill Finish, .024 aluminum with no score pattern.

FABRICATED METAL ROOFING


Custom made fabricated roofs with acme seams for a water tight fit. Roofs can be manufactured in any color, score pattern, or embossing in our stock.



FABRICATED POP-UP ROOFS



WATER TANKS & HOLDING TANKS



Water tanks and holding tanks are processed on our site using a rotational molding machine. With this form of construction, the tanks will have NO SEAMS!! The materials used are NSF & FDA approved polyethylene. Each water and holding tank is tested before it leave our shop to ensure there are no leaks.



Fittings are installed using spin welding. This technique insures that the fitting and the tank mold together, creating a long lasting, water tight seal. Each water tank will get 3 fittings at no charge. Additional fittings needed may cost extra.

How to order:

- Choose the tank by item number
- Choose the fittings – see page 21
- Fill out the order form – see page 15
- FAX the order form to 303-423-4051

ORDER FORM


TANK # _____

QUANTITY _____

Please indicate fittings
locations on diagram!

LEFT SIDE

←----- BACK -----→



FRONT

BOTTOM

Customer _____

Address _____

City, State, Zip _____

Contact _____

Phone _____

WATER TANKS BY CAPACITY

TANK GALLONS	LENGTH INCHES	TANK NUMBER
1.1	8 ¼	10005
N/A (LID)	22 ¼	10605
3	17	10006
3.8	10 ½	10600
4.33	10	10061
4.36	12	10058
4.5	15 5/8	10435
5	12 ¼	10008
5	19	10430
5	19	10431
5.7	14 ¼	10405
5.75	13 ¾	10025
6	17	10400
6	15 ½	10465
6.2	17 ½	10020
6.5	16	10030
6.5	12 ¾	10045
6.7	26 ¼	10063
6.7	28 9/16	10410
6.8	20 ½	10040
7.3	18 ½	10415
7.5	18	10009
7.5	16	10429
8	14 ¼	10055
8.2	15	10060
8.5	30 ½	10076
9.4	13 ½	10610
9.7	24	10065
9.7	15 ¾	10070
11.3	16 ¾	10090
11.3	15 ¾	10080
11.6	54 ½	10101
11.63	21 ¼	10100
11.6	20	10085
12.6	26	10115
12.6	29	10095
13	31 ½	10420
13.7	35 ½	10120

TANK GALLONS	LENGTH INCHES	TANK NUMBER
13.7	22 ¼	10105
13.8	40	10123
14	60	10196
14.3	28 ¾	10125
15	20	10128
15	28	10227
15.3	33 ½	10440
15.27	21	10144
15.4	28 ¼	10143
15.5	21 ¼	10130
16.6	27	10135
16.6	53 ½	10150
16.7	17 ¾	10148
17	22 ½	10170
17	20	10140
17	40 ¾	10145
17.5	23 ¼	10615
18	34 ½	10445
18.4	27 1/8	10450
18.5	19 ½	10165
18.7	20	10332
18.9	34 ½	10455
19.3	28	10180
19.4	34 ½	10175
19.7	31	10192
19.9	35 ¾	10190
19.9	34	10210
20	23 ½	10217
20.8	50 ½	10195
20.8	20 ¾	10205
21.2	23 ¾	10200
22	26	10218
22	35 ¼	10215
22	35 ¼	10185
23.1	47	10220
23.6	27	10230
23.9	21	10206

WATER TANKS BY CAPACITY

TANK GALLONS	LENGTH INCHES	TANK NUMBER
24	17	10228
25	33	10486
25.4	35	10235
26	22 ½	10240
26.8	34	10237
26.9	42 ¾	10225
27.5	30	10250
28	31 ¾	10245
28.2	47	10280
29.5	25 ¾	10270
30	55	10288
30.2	42 ¼	10255A
31.6	35 ¼	10255B
30.5	43	10260
30.7	25 ½	10290
32	27 ¾	10300
32.3	34 ½	10272
32.4	35	10295
32.5	33	10285
33.5	47	10302
33.8	36 ½	10313
33.9	33 ¾	10275
34.2	20 ½	10620
34.6	46 ¼	10490
34.7	35 ¼	10265
35.5	42	10304
37 (I/S LINING)	34	10630
37 (O/S LINING)	34	10640
37	44	10364
37	62	10306
37.2	48	10359
37.8	42	10305
38	26	10307
38.8	35	10335

TANK GALLONS	LENGTH INCHES	TANK NUMBER
39	35	10343
39.8	32 ¼	10310
40.5	35 ½	10315
40.9	41	10328
41	50	10339
41.5	33	10331
41.5	48 ¾	10320
41.7	44 ¾	10325
42	26 ¾	10340
42	46	10330
43	55	10338
44	23 ¾	10345
44	28	10363
44	46 ¼	10367
44.9	39 ¾	10365
45.2	38	10358
46	75 ½	10347
48	37 ½	10369
48	40 ¼	10350
48.2	50	10372
50	44	10348
50.1	55 ½	10360
51.4	35 ½	10370
62.8	54	10375
64	43	10373
69.6	35 ½	10380
70.6	33 ¾	10377
78.3	58	10384
86	35 ¾	10650
86	42	10387
99	55 ¾	10385
127.6	54	10390

WATER TANKS BY LENGTH

INCHES LONG	INCHES WIDE	INCHES DEEP	TANK GALLONS	TANK NUMBER
8 ¼	8 ¼	3 ¾	1.1	10005
10	10	10	4.33	10061
10 ½	10 ¼	10 ¼	3.8	10600
12	7	12	4.36	10058
12 ¼	12 ¼	8 ¼	5	10008
12 ¾	11	10 ¾	6.5	10045
13 ½	13 ½	15 ¾	9.4	10610
13 ¾	13 ¾	7	5.7	10025
14 ¼	12 ¼	10 ½	8	10055
14 ¼	7 ¾	12 ½	5.7	10405
15	11	11 ¾	8.2	10060
15 ½	7 ¾	11 ½	6	10465
15 5/8	13 5/8	10	5	10435
15 ¾	13 ½	10 ¾	9.7	10070
15 ¾	12	14	11.3	10080
16	10 ¼	9	6.5	10030
16	8 ¼	13 ¾	7.5	10429
16 ¾	13 ½	11 ½	11.3	10090
17	7	7	3	10006
17	7 ½	11 ½	6	10400
17	13 ¼	14	24	10228
17 ½	10 ½	7 ¾	6.2	10020
17 ¾	12 ¾	17	16.7	10148
18	11	8 ¾	7.5	10009
18 ½	9	12 ¼	7.3	10415
19	12 7/8	8 ½	5	10430
19	12 7/8	8 ½	5	10431
19 ½	17 ½	12 ¾	18.5	10165
20	12	18	18.7	10332
20	13 ½	10	11.6	10085
20	16	11	15	10128
20	15 ½	12 ¾	17	10140
20 ½	14 ½	5 ¼	6.8	10040
20 ½	19 ¼	12	34.2	10620
20 ¾	20 ¾	11 ¼	20.8	10205
21	14	12	15.3	10144
21	21	12 ½	23.9	10206
21 ¼	18	7	11.6	10100

INCHES LONG	INCHES WIDE	INCHES DEEP	TANK GALLONS	TANK NUMBER
21 ¼	20 ¾	8 ¾	15.5	10130
22 ¼	17 ¼	8 ¼	13.7	10105
22 ¼	19 ½	N/A	LID	10605
22 ½	19 ¼	14	26	10240
22 ½	21 ½	8 ½	17	10170
23 ¼	9 ½	N/A	17 ½	10615
23 ½	14 ½	13 ½	20	10217
23 ¾	17 ¼	12	21.2	10200
23 ¾	23 ½	18	44	10345
24	10 ½	9	9.7	10065
25 ½	23 ½	11 ¾	30.7	10290
25 ¾	22	12	29.5	10270
26	14 ½	13 ½	22	10218
26	15 ½	7 ¼	12.6	10115
26	24 ¼	14	38	10307
26 ¼	11 ½	5	6.7	10063
26 ¾	25	14 ½	42	10340
27	10	20	23.6	10230
27	17 ½	8	16.6	10135
27 1/8	21 ¼	7 ¼	18.3	10450
27 ¾	26 ¾	10	32	10300
28	9	14	15	10227
28	13 ¾	11 ¾	19.3	10180
28	26	14	44	10363
28 ¼	9	14	15.4	10143
28 9/16	11 ¾	5 ¼	6.7	10410
28 ¾	15 ¾	7 ¼	14.3	10125
29	11 ¾	8 ½	12.6	10095
30	25 ¾	8 ¼	27.5	10250
30 ½	8	8	8.5	10076
31	9	20	19.68	10192
31 ½	10 ¾	12 ¾	13	10420
31 ¾	16	12 ¾	28	10245
32 ¼	21	13 ¾	39.8	10310
33	14 ½	20	41.5	10331
33	16 ½	13 ¾	32.5	10285
33	17 ½	13	25	10486
33 ½	14 ¾	11 ½	15.3	10440

WATER TANKS BY LENGTH

INCHES LONG	INCHES WIDE	INCHES DEEP	TANK GALLONS	TANK NUMBER
33 ¾	17	13 ¾	33.9	10275
33 ¾	26	18 ½	70.6	10377
34	16	8 ½	19.9	10210
34	14	13	26.8	10237
34 N/A	18	34	37	10630
34 N/A	23	34	37	10640
34 ½	12 ½	11¾	18	10445
34 ½	15	11 ¾	18.9	10455
34 ½	17	7 ½	19.4	10175
34 ½	18	12	32.3	10272
35	13	13	25.4	10235
35	15 ½	13 ¾	32.4	10295
35	21 ¾	11 ¾	38.8	10335
35	22	12	39	10343
35 ¼	17 ½	8 ¼	22	10185
35 ¼	18	11 ½	31.6	10255B
35 ¼	17 ½	8 ¼	22	10215
35 ¼	18	12 ½	34.7	10265
35 ½	10	9	13.7	10120
35 ½	17	15 ½	40 ½	10315
35 ½	19	23 ¾	69.6	10380
35 ½	25 ½	13	51.4	10370
35 ¾	13	10	19.9	10190
35 ¾ N/A	26 ½	35 ¾	86	10650
36 ½	18 ¾	11 ½	33.8	10313
37 ½	15	20 5/8	48	10369
38	25	11	45.2	10358
39 ¾	20 ½	12 ¾	44.9	10365
40	32	2 ½	13.8	10123
40 ¼	22	13	48	10350
40 ¾	11	9	17	10145
41	21	11	40.9	10328
42	14	14	35.5	10304

INCHES LONG	INCHES WIDE	INCHES DEEP	TANK GALLONS	TANK NUMBER
42	17 ¾	11 ¾	37.8	10305
42	28	17	86	10387
42 ¼	17 ¾	9 ¼	30.2	10255A
42 ¾	17 ½	8 ¼	26.9	10225
43	16	10 ¼	30.5	10260
43	21 ¾	15 ¾	64	10373
44	14	14	37	10364
44	22	12	50	10348
44 ¾	17 ¾	12	41.7	10325
46	20	10 ½	42	10330
46 ¼	31 ½	7	44	10367
46 ¼	12 ½	21 ¼	34.6	10490
47	11	15	33.5	10302
47	16	7	23.1	10220
47	23	6 ¾	28.2	10280
48	21	8 ½	37.2	10359
48 ¾	20 1/4	13	41.5	10320
50	19	10	41	10339
50	20 ¾	15 ½	48.2	10372
50 ½	12	8	20.8	10195
53 ½	8	9	16.7	10150
54	23 ¼	11 ½	62.8	10375
54	23 ½	23 ¼	127.6	10390
54 ½	18 ¼	2 ¾	11.6	10101
55	15	8 ½	30	10288
55	28	6 ½	43	10338
55 ½	26 ¼	8	50.1	10360
55 ¾	26 ¼	15 ½	99	10385
58	26	12	78.3	10384
60	11	5	14	10196
62	23	6	37	10306
75 ½	12 7/8	10 7/8	46	10347

HOLDING TANKS

BY CAPACITY

TANK GALLONS	LENGTH INCHES	TANK NUMBER
12	44	20045
14.5	62 ½	20036
15	29 ½	20040
15	34 ½	20035
15.8	43	20005
16	30	20020
16	67	20050
17	23	20025
17	30	20065
20	30	20067
20	67	20055
21	55	20085
23	32 ¼	20010
26	36	20015
27 ½	34	20095
28	40	20082
30.5	58 ½	20075
31	40	20080
34.5	54 3/8	20090
40	54 ¼	20030
40	55	20070

BY LENGTH

INCHES LONG	INCHES WIDE	INCHES DEEP	TANK GALLONS	TANK NUMBER
23	22	8 ¾	17	20025
29 ½	19 ½	6 ¾	15	20040
30	24 ½	6	16	20020
30	20	8	30	20065
30	20	8 ½	30	20067
32 ¼	20	7	23	20010
34	22	11	27.5	20095
34 ½	17	7 ¾	15	20035
36	23 ½	7 ½	26	20015
40	20 ¾	10	28	20082
40	20 ¾	10	31	20080
43	10	7 ½	16	20005
44	15 ¼	5 ¼	12	20045
54 ¼	26 ½	6 ¾	40	20030
54 3/8	26 ½	9	34.5	20090
55	20	7 1/8	21	20085
55	32	8 ½	40	20070
58 ½	20	9	30 ½	20075
62 ½	5	18 ¾	14 ½	20036
67	11	7 ¾	16	20050
67	11	8	20	20055

SPIN WELDED TANK FITTINGS

The fittings below are all spin welded into the plastic tanks per customer specifications. There are a variety of fittings to choose from to fit your needs.

Fill out the form on page 15 with placement of the fittings and fax to us


We will spin fit 3 fittings at no charge with each tank ordered – Inlet, outlet and/or vent !

FPT Flush Fittings These fittings are designed to be flush to the tank, the threads are on the inside of the tank and are ideal for shipping purposes. They are available in 1/2", 3/4", 1", 1-1/4", 1-1/2", 2" and 3".	ORDER NUMBERS: 11025 - 1/2" FPT Flush Fitting 11035 - 3/4" FPT Flush Fitting 11045 - 1-1/4" FPT Flush Fitting 11055 - 1-1/2" FPT Flush Fitting 11065 - 2" FPT Flush Fitting 11075 - 3" FPT Flush Fitting
FPT Raised Fittings These fittings have the threads on the outside of the tank and provide better drainage of water. Fittings are available in 3/8", 1/2" 3/4", 1", 1-1/4", 1-1/2", 2" and 3".	ORDER NUMBERS: 11010 - 3/8" FPT Raised Fitting 11020 - 1/2" FPT Raised Fitting 11030 - 3/4" FPT Raised Fitting 11037 - 1" FPT Raised Fitting 11040 - 1-1/4" FPT Raised Fitting 11050 - 1-1/2" FPT Raised Fitting 11060 - 2" FPT Raised Fitting 11070 - 3" FPT Raised Fitting
Slip Fittings These fittings are designed so the ABS or PVC will slide inside or boot clamp around the fitting. They are available in 1-3/8", tapered to allow a hose clamp to fit over: 1-1/2" and 3".	ORDER NUMBERS: 11145 - 1-1/2" Slip Fitting 11114 - 3" Slip Fitting
Sensor These water sensors have 8/32" threads.	ORDER NUMBERS: 11080 - 8/32" Thread S/S Sensor

WATER TANKS


Tank Number 10005

1 Gallon




Tank Number 10006

3 Gallons




Tank Number 10008

5 Gallons




Tank Number 10009

7.5 Gallons




Tank Number 10020

6.2 Gallons









Tank Number 10025







5.7 Gallons









WATER TANKS

Tank Number 10030 6.5 Gallons 	Tank Number 10040 6.8 Gallons 
Tank Number 10045 6.5 Gallons 	Tank Number 10055 8 Gallons 
Tank Number 10058 4.36 Gallons 	Tank Number 10060 8.2 Gallons 







WATER TANKS

Tank Number 10061 4.3 Gallons 	Tank Number 10063 6.7 Gallons 
Tank Number 10065 9.7 Gallons 	Tank Number 10070 9.7 Gallons 
Tank Number 10076 8.5 Gallons 	Tank Number 10080 11.3 Gallons 







WATER TANKS

Tank Number 10085 11.6 Gallons 	Tank Number 10090 11.3 Gallons 
Tank Number 10095 12.6 Gallons 	Tank Number 10100 11.6 Gallons 
Tank Number 10101 11.6 Gallons 	Tank Number 10105 13.7 Gallons Baffle tank – both sides 

WATER TANKS

Tank Number 10115 12.6 Gallons 	Tank Number 10120 13.7 Gallons 
Tank Number 10123 13.8 Gallons 	Tank Number 10125 14.3 Gallons Baffle tank – one side only. 
Tank Number 10128 15 Gallons 	Tank Number 10130 15.5 Gallons 


WATER TANKS

Tank Number 10135 16.6 Gallons (No baffles) 	Tank Number 10140 17 Gallons 
Tank Number 10143 15.4 Gallons 	Tank Number 10144 15.3 Gallons 
Tank Number 10145 17 Gallons 	Tank Number 10148 16.7 Gallons 

WATER TANKS


Tank Number 10150

16.7 Gallons




Tank Number 10165

18.5 Gallons




Tank Number 10170

17 Gallons – Tapered Tank




Tank Number 10175

19.4 Gallons – Baffle Tank




Tank Number 10180

19.3 Gallons



Tank Number 10185


22 Gallons – Baffle Tank



WATER TANKS


Tank Number 10190

19.9 Gallons




Tank Number 10192

19.68 Gallons




Tank Number 10195

20.8 Gallons




Tank Number 10196

14 Gallons




Tank Number 10200

21.2 Gallons



Tank Number 10205


20.8 Gallons



WATER TANKS


Tank Number 10206

23.9 Gallons




Tank Number 10210

19.9 Gallons




Tank Number 10215

22 Gallons




Tank Number 10217

20 Gallons




Tank Number 10218

22 Gallons



Tank Number 10220

23.1 Gallons




WATER TANKS

Tank Number 10225 36.9 Gallons 17 1/2" 42 3/4" 8 1/4"	Tank Number 10227 15 Gallons 9" 14" 28"
Tank Number 10228 24 Gallons 13 1/2" 14" 17"	Tank Number 10230 23.6 Gallons 10" 20" 27"
Tank Number 10235 25.4 Gallons 13" 13" 35"	Tank Number 10237 26.8 Gallons 14" 13" 34"

WATER TANKS


Tank Number 10240

26 Gallons




Tank Number 10245

28 Gallons-Baffle Tank




Tank Number 10250

27.5 Gallons




Tank Number 10255A

30.2 Gallons-Baffle Tank




Tank Number 10255B

31.6 Gallons









Tank Number 10260







30.5 Gallons









WATER TANKS

Tank Number 10265 34.7 Gallons 	Tank Number 10270 29.5 Gallons 
Tank Number 10272 32.3 Gallons 	Tank Number 10275 33.9 Gallons-Baffle Tank 
Tank Number 10280 28.2 Gallons 	Tank Number 10285 32.5 Gallons-Baffle 

WATER TANKS

Tank Number 10288 30 Gallons 	Tank Number 10290 30.7 Gallons 
Tank Number 10295 32.4 Gallons 	Tank Number 10300 32 Gallons 
Tank Number 10302 33.5 Gallons 	Tank Number 10304 35.5 Gallons 


WATER TANKS

Tank Number 10305 37.8 Gallon-Baffle Tank  17 $\frac{3}{4}$" 42" 11 $\frac{3}{4}$"	Tank Number 10306 37 Gallons  23" 62" 6"
Tank Number 10307 38 Gallons  24 $\frac{1}{4}$" 26" 14"	Tank Number 10310 39.8 Gallons-Baffle Tank  21" 32 $\frac{1}{4}$" 13 $\frac{3}{4}$"
Tank Number 10313 33.8 Gallon-Notched  18 $\frac{3}{4}$" 36 $\frac{1}{2}$" 11 $\frac{1}{2}$"	Tank Number 10315 40.5 Gallons  17" 35 $\frac{1}{2}$" 15 $\frac{1}{2}$"

WATER TANKS


Tank Number 10320

41.5 Gallons




Tank Number 10325

41.7 Gallons




Tank Number 10328

40.9 Gallons




Tank Number 10330

42 Gallons




Tank Number 10331

41.5 Gallons









Tank Number 10332

18.7 Gallons




WATER TANKS


Tank Number 10335 38.8 Gallons-Baffle Tank 	Tank Number 10338 43 Gallons 
Tank Number 10339 41 Gallons 	Tank Number 10340 42 Gallons 
Tank Number 10343 39 Gallons 	Tank Number 10345 44 Gallons 

WATER TANKS


Tank Number 10347




Tank Number 10348




Tank Number 10350




Tank Number 10358



Tank Number 10359




Tank Number 10360



WATER TANKS


Tank Number 10363

44 Gallons




Tank Number 10364

37 Gallons




Tank Number 10365

44.9 Gallons




Tank Number 10367

44 Gallons




Tank Number 10369

48 Gallons



Tank Number 10370


51.4 Gallons



WATER TANKS


Tank Number 10372

48.2 Gallons




Tank Number 10373

64 Gallons




Tank Number 10375

62.8 Gallons




Tank Number 10377

70.6 Gallons




Tank Number 10380

69.6 Gallons









Tank Number 10384

78.3 Gallons




WATER TANKS

Tank Number 10385 99 Gallons 	Tank Number 10387 86 Gallons 
Tank Number 10390 127.6 Gallons 	Tank Number 10400 6 Gallons 
Tank Number 10405 5.7 Gallons 	Tank Number 10410 6.7 Gallons 

WATER TANKS


Tank Number 10415

7.3 Gallons




Tank Number 10420

13 Gallons




Tank Number 10429

7.5 Gallons



Tank Number 10430


5 Gallons



This tank is the mirror image of tank 10431

Tank Number 10431


5 Gallons



This tank is the mirror image of tank 10430

Tank Number 10435


5 Gallons



WATER TANKS


Tank Number 10440

15.3 Gallons




Tank Number 10445

18 Gallons




Tank Number 10450

18.3 Gallons




Tank Number 10455

18.9 Gallons




Tank Number 10465

6 Gallons



Tank Number 10486


25 Gallons



WATER TANKS


Tank Number 10490

34.59 Gallons



Tank Number 10600


3.8 Gallons



Can be made solid or with lid.


Tank Number 10605

Barrel Lid



Tank Number 10610


9.4 Gallons



'r' average = 6.65. Can be made solid or with lid.


Tank Number 10615

17.5 Gallons



Tank Number 10620


34.2 Gallons



WATER TANKS


Tank Number 10630

37 Gallons - Barrel Inner Lining




Tank Number 16340

61.15 Gallons - Barrel Outer Lining



Tank Number 10650

86 Gallons




HOLDING TANKS

Tank Number 20005 16 Gallons 10" 8 1/2" 43" 7 1/2"	Tank Number 20010 23 Gallons 20" 7" 32 1/4" 10 1/2" 3" Outlet
Tank Number 20015 26 Gallons 23 1/2" 36" 7 1/2" 17" 4 3/4"	Tank Number 20020 16 Gallons 24 1/2" 6" 30" 1 1/2" Outlet
Tank Number 20025 17 Gallons 22" 23" 8 1/2" 8 3/4"	Tank Number 20030 40 Gallons 26 1/2" 6 3/4" 54 1/4" 4" 3" Outlet

HOLDING TANKS


Tank Number 20035

15 Gallons




Tank Number 20036

14.5 Gallons




Tank Number 20040

15 Gallons




Tank Number 20045

12 Gallons




Tank Number 20050

16 Gallons



Tank Number 20055


20 Gallons



HOLDING TANKS


Tank Number 20065

17 Gallons




Tank Number 20067

20 Gallons



Tank Number 20070


40 Gallons



Vent hole only, no fitting


Tank Number 20075

30.5 Gallons




Tank Number 20080

31 Gallons-Sloped



Tank Number 20082


28 Gallons



HOLDING TANKS


Tank Number 20085

21 Gallons




Tank Number 20090

34.5 Gallons




Tank Number 20095

27.5 Gallons



HOW TO ORDER ALUMINUM

All aluminum siding is custom cut to each order. It is kept in bulk 4' wide coils which are cut to length and width, then scored and locked. All metal is custom made, therefore, it is *essential* we get the correct measurement. Please review the following diagram to calculate your cut size.



IF YOU MEASURED	THEN ADD
A-B	LOCK + SHRINKAGE
A-C	$\frac{1}{2}$ " + LOCK + SHRINKAGE
D-C	REMEASURE
D-B	REMEASURE

Pattern loss or "shrinkage" when rollforming (amount of loss in inches)				
Score Pattern	12 inches	24 inches	36 inches	48 inches
2 Mesa	1/32"	1/16"	3/32"	1/8"
2 Mesa -1	3/32"	3/16"	9/32"	3/8"
3 Mesa	1/32"	1/16"	3/32"	1/8"
3 Mesa -1	1/16"	1/8"	3/16"	1/4"
3 Mesa -1-1 Reverse	3/32"	3/16"	9/32"	3/8"
3 Mesa-3	1/32"	1/16"	3/32"	1/8"
3 Mesa-3-1 Reverse	3/16"	3/8"	9/16"	3/4"
4 Mesa-1	1/16"	1/8"	3/16"	1/4"
4 Mesa-3	1/8"	1/4"	3/8"	1/2"
4 Mesa-3-1 Reverse	3/16"	3/8"	9/16"	3/4"
4 Coachman	1/32"	1/16"	3/32"	1/8"
4 Coachman-3	3/32"	3/16"	9/32"	3/8"
Fleetwood Mesa-1	1/16"	1/8"	3/16"	1/4"


PITTSBURGH LOCK
$\frac{1}{2}$ "
1"

S-LOCK
$\frac{1}{2}$ "
1 $\frac{1}{4}$ "


1/2" FLANGE
$\frac{1}{2}$ "
$\frac{1}{8}$ " $\frac{1}{2}$ "

ACTUAL SIZE SCORE PATTERN GUIDE

2" Mesa




2" Mesa – 1" Score




ACTUAL SIZE SCORE PATTERN GUIDE


3" Mesa



3" Mesa – 1 Score




3" Mesa – 1 Score – 1 Reverse




ACTUAL SIZE SCORE PATTERN GUIDE


3" Mesa – 1 Reverse



3" Mesa – 3 Score




3" Mesa – 3 Score – 1 Reverse




ACTUAL SIZE SCORE PATTERN GUIDE


4" Mesa



4" Mesa – 1 Score




4" Mesa – 3 Score




ACTUAL SIZE SCORE PATTERN GUIDE


4" Mesa – 3 Score – 1 Reverse



4" Coachman




4" Coachman – 3 Score




ACTUAL SIZE SCORE PATTERN GUIDE


Fleetwood Mesa



Fleetwood Mesa – 1 Score




2", 3", or 4" Score




Specify distance between score lines of 2", 3", or 4"

ACTUAL SIZE SCORE PATTERN GUIDE

1 Score – 1 Reverse on 3" Centers



3 1/2" Scores on 3" Centers



3 1/2" Scores – 1 Reverse on 3" Centers

